



24-0-0

SLOW RELEASE NITROGEN PLUS BORON FOR IN-SEASON FOLIAR APPLICATION

GUARANTEED ANALYSIS

Table with 2 columns: Component and Percentage. Total Nitrogen (N) 24.0%, Boron (B) 1.0%

Derived from boric acid, urea, methylene diurea, methylene urea, triazone and soybean protein hydrolysate.

\*14.4% Slowly available nitrogen from methylene diurea, methylene urea and triazone.

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS: Soil Amending Guaranteed Analysis Active Ingredients

Table with 2 columns: Ingredient and Percentage. Kelp extract (Ecklonia maxima) 3.8%, Total Other Ingredients 96.2%

PURPOSE STATEMENT

NitroEdge Boron™ is a concentrated nitrogen and boron solution beneficial to crop development, yield and quality when applied as a properly timed foliar application.

NitroEdge Boron also contains CropPWR (Kelp Extracts, biologically extracted) to enhance your crop nutrition program and help plants mitigate abiotic stress including drought, cold and heat stress.

KEEP OUT OF REACH OF CHILDREN



WARNING

May be harmful if swallowed. May be harmful in contact with skin. Causes serious eye irritation. Causes mild skin irritation. May be harmful if inhaled.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

BEFORE USING THIS PRODUCT, READ ALL PRECAUTIONS, DIRECTIONS FOR USE, AND NOTICE OF WARRANTY.

Avoid contact with eyes and prolonged contact with skin to avoid irritation. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or smoking tobacco.

Personal Protective Equipment (PPE): Wear protective eyewear (goggles or face shield), chemical-resistant gloves, long-sleeved shirt and long pants, and shoes plus socks when using this product.

Density: 10.4 lbs/gallon @ 68°F

NOTICE OF WARRANTY: Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions.

Manufactured and Guaranteed by:



USE PRECAUTIONS

Use of NitroEdge Boron in accordance with label directions is not expected to adversely affect normal vegetative and /or reproductive growth in most situations. However, various environmental and agronomic factors, such as crop stress associated with high temperatures and/or dry conditions make it impossible to eliminate all risks associated with the use of the product.

WARNING: This fertilizer contains boron. Its use on any crops or under conditions other than those recommended may result in serious injury to the crops.

DIRECTIONS FOR USE

Read and follow all label directions including USE PRECAUTIONS before using this product. Applications should be part of a fertility program based upon soil and tissue testing data and is intended for use as a supplemental fertilizer treatment.

NitroEdge Boron can be applied by foliar application by air, ground or through irrigation systems. Use enough water for thorough, uniform coverage of foliage. Aerial Application – Apply 1 – 5 gallons per acre.

Foliar Application – This product may be applied with all types of ground spraying equipment. Apply 1 - 5 gallons per acre. AcreEdge recommends using a non-ionic surfactant in herbicide tank mixes including NitroEdge Boron.

CROPS AND APPLICATION TIMINGS

Alfalfa Hay and Forage Crops: After emergence on new plantings, or after cuttings on established plantings, when sufficient leaf area exists for good foliar spray interception.

Corn: Foliar applications at standard post-emerge herbicide growth stages (V3 – V6) and late fungicide timings (typically at growth stages VT – R1).

Soybeans: Apply at standard post fungicide timing (typically at growth stage R3). Wheat, Rice, Barley, and other Cereal Grains: At top-dress fertilizer/herbicide pre-joining timing through flag-leaf fungicide application timing.

STORAGE AND DISPOSAL

Keep the container tightly closed. May be stored in an unheated area but keep from freezing. Do not contaminate water sources by cleaning of equipment or disposal of rinse-water. Dispose of empty containers by triple rinsing (or equivalent) with water and pouring rinsate into a spray tank.

FIRST AID

IF SWALLOWED: Call a poison center or doctor if you feel unwell. Rinse mouth.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

IF ON SKIN: Remove contaminated clothing and wash skin with soap and water. If skin irritation occurs, get medical advice/attention.

IF INHALED: Call a poison center or doctor if you feel unwell.

FOR CHEMICAL EMERGENCY: CALL CHEMTREC 1-800-424-9300. (DAY OR NIGHT)

Net Contents and Net Weight

- 2.5 Gals (9.46L); 26.0 Lbs (11.8 Kg)
265 Gals (1,003 L); 2,756 Lbs. (1,250.1 Kg)
Bulk